





As we pursue minimally invasive and precise surgical techniques more than ever, the traditional microsurgery is about to enter a new era of "ultra neurosurgery".--Dr. Ali Krisht. MD

With the brand-new surgical concepts and innovative instruments, the goal is to minimize burning and blunt separation. The details of the tissue, which were easily neglected in the past, can now be handled and cared for. In this way, ultra neurosurgery brings minimal damage to the patients or harm to the tissue, which significantly improves the post-operation performance.

- ✓ Handles made of titanium and of hallow design
- Super comfortable even after long and detailed surgery
- ✓ As if your fingers are touching the blood vessels
- Suitable for all needs, including shallow, middle, and deep
- ✓ Ultra micro scissors can be used for very delicate cuts and moves; there are multiple choice for the tips: sharp, blunt, straight, upward curved, etc.
- Shark scissors can be used for sylvian fissure, fast and safe
- ✓ Debakey forcep can be used to hold and manipulate delicate vascular tissues without harm
- 🧭 Irrigation & suction can be used to rinse and clean the area in time to avoid accidents and make sure of clear surgical view





Ultra Neurosurgery

Ultra NeurosurgeryBy using the ultra micro scissors, irrigation and suction, and other innovative instruments for more delicate and safer operations, the post-operation effect can be greatly enhanced. There are multiple types of instruments and specifications of tips to choose from, which can suit various needs.

Super-light and hollow design

The hollow design and the titanium material makes the users feel as if they are touching the blood vessels by their fingers. It is super comfortable even after a long time of use.





Suit all needs

Various needs can be met for the surgeries, including "shallow by bypass set", "medium and deep bypass set", "deep bypass set", etc. with all differnt lenghts and specifications provided.

Ultra Micro Scissors / Shark Scissors

120mm Ultra Micro Scissors



Shallow For delicate vascular repair and precise operations

	Straight Tip	Tip Curved Upwards
(Sharp)	HC-S-001T 1211S	HC-S-001T 1212S
(Blunt)	HC-S-001T 1211B	HC-S-001T 1212B
Working Length	35mm	35mm
Total Length	120mm	120mm

160mm Ultra Micro Scissors



Shallow/Medium For delicate vascular repair and precise operations

	Straight Tip	Tip Curved Upwards
(Sharp)	HC-S-001T 1611S	HC-S-001T 1612S
(Blunt)	HC-S-001T 1611B	HC-S-001T 1612B
Working Length	45mm	45mm
Total Length	160mm	160mm



190mm Ultra Micro Scissors



Medium For delicate vascular repair and precise operations

	Straight Tip	Tip Curved Upwards
(Sharp)	/	/
(Blunt)	HC-S-001T 1911B	HC-S-001T 1912B
Working Length	55mm	55mm
Total Length	190mm	190mm

210mm Ultra Micro Scissors



Medium/Deep For delicate vascular repair and precise operations

	Straight Tip	Tip Curved Upwards
(Sharp)	/	/
(Blunt)	HC-S-001T 2111B	HC-S-001T 2112B
Working Length	75mm	75mm
Total Length	210mm	210mm

Ultra Micro Scissors / Shark Scissors

230mm Ultra Micro Scissors



Deep For delicate vascular repair and precise operations

	Straight Tip	Tip Curved Upwards
(Sharp)	/	/
(Blunt)	HC-S-001T 2311B	HC-S-001T 2312B
Working Length	95mm	95mm
Total Length	230mm	230mm

250mm Ultra Micro Scissors



Deep For delicate vascular repair and precise operations

	Straight Tip	Tip Curved Upwards
(Sharp)	/	/
(Blunt)	HC-S-001T 2511B	HC-S-001T 2512B
Working Length	115mm	115mm
Total Length	250mm	250mm



160mm Shark Scissors



Shallow For safe sylvian fissure split and moves near to blood vessels

	Right Curved	Left Curved
S •	HC-S-002 SS/160	/
Working Length	55mm	55mm
Total Length	160mm	160mm

180mm Shark Scissors

	Right Curved	Left Curved
S •	HC-S-002 SS/180	/
Working Length	75mm	75mm
Total Length	180mm	180mm



Medium For safe sylvian fissure split and moves near to blood vessels

225mm Shark Scissors



Deep For safe sylvian fissure split and moves near to blood vessels

	Right Curved	Left Curved
S 0	HC-S-002 R/225	HC-S-002 L/225
Working Length	95mm	95mm
Total Length	225mm	225mm

Ultra Micro Forcep / Debakey Forcep

160mm Ultra Micro Forcep



Tips	Tip width	Working length	Total length	Model No.
Straight	0.4mm	45mm	160mm	HC-T-001T 1611F
Curved Upwards	0.4mm	45mm	160mm	HC-T-001T 1612F

180mm Ultra Micro Forcep



Tips	Tip width	Working length	Total length	Model No.
Straight	0.4mm	54mm	180mm	HC-T-001T 1811F
Curved Upwards	0.4mm	54mm	180mm	HC-T-001T 1812F



225mm Ultra Micro Forcep



Tips	Tip width	Working length	Total length	Model No.
Straight	0.4mm	95mm	225mm	HC-T-001T 22521F
Curved Upwards	0.4mm	95mm	225mm	HC-T-001T 22522F

180mm Debakey Forcep



Tips	Tip width	Working length	Total length	Model No.
Straight	1mm	72mm	180mm	HC-T-003 A01

Micro Needle Holder

160mm Micro Needle Holder



Tips	Working Length	Total Length	Model No.
Straight	50mm	160mm	HC-N-001T 1611N
Curved Upwards	50mm	160mm	HC-N-001T 1612N

180mm Micro Needle Holder



Tips	Working Length	Total Length	Model No.
Straight	60mm	180mm	HC-N-001T 1811N
Curved Upwards	60mm	180mm	HC-N-001T 1812N



225mm Micro Needle Holder




Tips	Working Length	Total Length	Model No.
Straight	100mm	225mm	HC-N-001T 22521N
Curved Upwards	100mm	225mm	HC-N-001T 22522N



Miranda Dissector Set

Miranda Set





Miranda Set -- Extended Micro Set

Extended Set Dissector Tips H05-1017 H05-1018 H05-1015 H05-1016 EX1 EX2 EX3 EX4 Point Needle Spatula Spatula Hook W:1.1mm W:2.1mm 45° 45° 90° Str. H05-1019 H05-1020 H05-1021 H05-1022 EX5 EX6 EX8 EX7 Teardrop Teardrop Teardrop Plate 3.0mm 4.0mm φ1mm Str. 90° 40° Str.


Dissector Handles



Irrigation and Suction



Straight HC-01




Working length Diameter	120mm/Shallow	150mm/Medium	180mm/Deep
Ф 1.5mm	HC-01 120/Φ1.5	HC-01 150/Ф1.5	HC-01 180/Ф1.5
Ф 2.0mm	HC-01 120/Ф2	HC-01 150/Ф2	HC-01 180/Ф2
Ф 3.0mm	HC-01 120/Ф3	HC-01 150/Ф3	HC-01 180/Ф3

Curved Downwards HC-02



Working length Diameter	120mm/Shallow	150mm/Medium	180mm/Deep
Ф 1.5mm	HC-02 120/Ф1.5	HC-02 150/Ф1.5	НС-02 180/Ф1.5
Ф 2.0mm	HC-02 120/Ф2	HC-02 150/Ф2	HC-02 180/Ф2
Ф 3.0mm	HC-02 120/Ф3	HC-02 150/Ф3	HC-02 180/Ф3

Straight and Curved Downwards HC-03



Working length Diameter	120mm/Shallow	150mm/Medium	180mm/Deep
Ф 1.5mm	HC-03 120/Ф1.5	HC-03 150/Ф1.5	НС-03 180/Ф1.5
Ф 2.0mm	HC-03 120/Ф2	HC-03 150/Ф2	HC-03 180/Ф2
Ф 3.0mm	HC-03 120/Ф3	HC-03 150/Ф3	HC-03 180/Ф3

Recommended Solutions

Shallow and Medium

	Model No.	Describe	NO.
1	HC-S-001T 1211S	Ultra Micro Scissors: S1, straight, sharp, handle with hollow design, 120mm	1
2	HC-S-001T 1212S	Ultra Micro Scissors: S3, straight, curved upward, sharp, handle with hollow design, 120mm	1
3	HC-S-001T 1611S	Ultra Micro Scissors: S5, straight, sharp, handle with hollow design, 160mm	1
4	HC-S-001T 1611B	Ultra Micro Scissors: S6, straight, blunt, handle with hollow design, 160mm	1
5	HC-S-001T 1612S	Ultra Micro Scissors: S7, straight, curved upward, sharp, handle with hollow design, 160mm	1
6	HC-S-001T 1612B	Ultra Micro Scissors: S8, straight, curved upward, blunt, handle with hollow design, 160mm	1
7	HC-S-002 SS/160	Shark Scissors: straight, right curved, handle in tatanium alloy, 160mm	1
8	HC-S-002 ST/180	Shark Scissors: straight, right curved, handle in tatanium alloy, 180mm	1
9	HC-T-001T 1611F	Ultra Micro Forcep: straight shape, straight tip, handle with hollow design, 0.4mm, 160mm	1
10	HC-T-001T 1612F	Ultra Micro Forcep: straight shape, curved upward, handle with hollow design, 0.4mm, 160mm	1
11	HC-T-003 A01	DEBAKEY Forcep: straight, 1×2 serrated, golf ball handle, 1mm, 180mm	1
12	HC-N-001T 1611N	Ultra Needle Holder: straight shape, straight tip, handle with hollow design, 160mm	1
13	HC-N-001T 1612N	Ultra Needle Holder: straight, curved upward, handle with hollow design, 160mm	1
14	HC-01 120/1.5	Irrigation & Suction: straight shape, straight tip, double channels, Φ 1.5mm, working length 120mm	1
15	HC-01 120/2	Irrigation & Suction: straight shape, straight tip, double channels, Φ 2mm, working length 120mm	1
16	HC-02 120/1.5	Irrigation & Suction: straight shape, downward tip, double channels, Φ1.5mm, working length 120mm	1
17	HC-02 120/2	Irrigation & Suction: straight shape, downward tip, double channels, $\Phi 2 mm$, working length 120mm	1
18	H05-1002	Retractable dissector: M2, plate, 45°, Φ2mm, working length 80mm-160mm	1
19	H05-1003	Retractable dissector: M3, plate, 45°, Φ3mm, working length 80mm-160mm	1
20	H05-1015	Retractable dissector: EX1, spatula, width 1.1mm, straight, working length 80mm-160mm	1
21	H05-1016	Retractable dissector: EX2, spatula, width 2.1mm, straight, working length 80mm-160mm	1
22	H05-1017	Retractable dissector: EX3, Hook, 90° , half sharp/blunt, straight, working length $80\text{mm}-160\text{mm}$	1
23	H05-1018	Retractable dissector: EX4, point needle, straight, working length 80mm-160mm	1
24	H05-1019	Retractable dissector: EX5, teardrop, straight, working length 80mm-160mm	1
25	H05-1020	Retractable dissector: EX6, teardrop, 90°, straight, working length 80mm-160mm	1
26	H05-1021	Retractable dissector: EX7, teardrop, 40°, straight, working length 80mm-160mm	1
27	H05-1022	Retractable dissector: EX8, plate, straight, Φ1mm, working length 80mm-160mm	1
28	H05-1013	105mm, black, retractable, skin-like texture, high pressure and high pressure sterialization	3

Recommended Solutions

Medium

	Model No.	Describe	NO.
1	HC-S-001T 1611S	Ultra Micro Scissors: S5, straight, sharp, handle with hollow design, 160mm	1
2	HC-S-001T 1611B	Ultra Micro Scissors: S6, straight, blunt, handle with hollow design, 160mm	1
3	HC-S-001T 1612S	Ultra Micro Scissors: S7, straight, curved upward, sharp, handle with hollow design, 160mm	1
4	HC-S-001T 1612B	Ultra Micro Scissors: S8, straight, curved upward, blunt, handle with hollow design, 160mm	1
5	HC-S-001T 2121B	Ultra Micro Scissors: S11, bayonet shape, blunt, handle with hollow design, 210mm	1
6	HC-S-001T 2122B	Ultra Micro Scissors: S12, bayonet shape, curved upward, blunt, handle with hollow design, 210mm	1
7	HC-S-002 SS/180	Shark Scissors: straight, right curved, handle in tatanium alloy, 180mm	1
8	HC-T-001T 1811F	Ultra Micro Forcep: straight shape, straight tip, handle with hollow design, 0.4mm, 180mm	1
9	HC-T-001T 1812F	Ultra Micro Forcep: straight shape, curved upward, handle with hollow design, 0.4mm, 180mm	1
10	HC-T-003 A01	DEBAKEY Forcep: straight, 1×2 serrated, golf ball handle, 1mm, 180mm	1
11	HC-N-001T 1811N	Ultra Needle Holder: straight shape, straight tip, handle with hollow design, 180mm	1
12	HC-N-001T 1812N	Ultra Needle Holder: straight, curved upward, handle with hollow design, 180mm	1
13	HC-01 150/1.5	Irrigation & Suction: straight shape, straight tip, double channels, Φ 1.5mm, working length 150mm	1
14	HC-01 150/2	Irrigation & Suction: straight shape, straight tip, double channels, Φ 2mm, working length 150mm	1
15	HC-02 150/1.5	Irrigation & Suction: straight shape, downward tip, double channels, Φ 1.5mm, working length 150mm	1
16	HC-02 150/2	Irrigation & Suction: straight shape, downward tip, double channels, $\Phi 2 mm, \\$ working length 150mm	1
17	H05-1002	Retractable dissector: M2, plate, 45° , $\Phi 2 mm$, working length $80 mm - 160 mm$	1
18	H05-1003	Retractable dissector: M3, plate, 45° , $\Phi3\text{mm}$, working length 80mm – 160mm	1
19	H05-1015	Retractable dissector: EX1, spatula, width 1.1mm, straight, working length 80mm-160mm	1
20	H05-1016	Retractable dissector: EX2, spatula, width 2.1mm, straight, working length 80mm-160mm	1
21	H05-1017	Retractable dissector: EX3, Hook, 90° , half sharp/blunt, straight, working length $80\text{mm}-160\text{mm}$	1
22	H05-1018	Retractable dissector: EX4, point needle, straight, working length 80mm-160mm	1
23	H05-1019	Retractable dissector: EX5, teardrop, straight, working length 80mm-160mm	1
24	H05-1020	Retractable dissector: EX6, teardrop, 90° , straight, working length 80mm – 160mm	1
25	H05-1021	Retractable dissector: EX7, teardrop, 40° , straight, working length $80\text{mm}-160\text{mm}$	1
26	H05-1022	Retractable dissector: EX8, plate, straight, Φ1mm, working length 80mm-160mm	1
27	H05-1013	105mm, black, retractable, skin-like texture, high pressure and high pressure sterialization	3
28	H05–1014	120mm, black, retractable, skin-like texture, high pressure and high pressure sterialization	1

Deep

	Model No.	Describe	NO.
1	HC-S-001T 2121B	Ultra Micro Scissors: S11, bayonet shape, blunt, handle with hollow design, 210mm	1
2	HC-S-001T 2122B	Ultra Micro Scissors: S12, bayonet shape, curved upward, blunt, handle with hollow design, 210mm	1
3	HC-S-001T 2321B	Ultra Micro Scissors: S13, bayonet shape, blunt, handle with hollow design, 230mm	1
4	HC-S-001T 2322B	Ultra Micro Scissors: S14, bayonet shape, curved upward, blunt, handle with hollow design, 230mm	1
5	HC-S-001T 2521B	Ultra Micro Scissors: S15, bayonet shape, blunt, handle with hollow design, 250mm	1
6	HC-S-001T 2522B	Ultra Micro Scissors: S16, bayonet shape, curved upward, blunt, handle with hollow design, 250mm	1
7	HC-S-002 R/225	Shark Scissors: bayonet shape, right curved, handle in tatanium alloy, 225mm	1
8	HC-T-001T 22521F	Ultra Micro Forcep: bayonet shape, straight tip, handle with hollow design, 0.4mm, 225mm	1
9	HC-T-001T 22522F	Ultra Micro Forcep: bayonet shape, curved upward, handle with hollow design, 0.4mm, 225mm	1
10	HC-T-003 A01	DEBAKEY Forcep: straight, 1×2 serrated, golf ball handle, 1mm, 180mm	1
11	HC-N-001T 22521N	Ultra Needle Holder: bayonet shape, straight tip, handle with hollow design, 225mm	1
12	HC-N-001T 22522N	Ultra Needle Holder: bayonet shape, curved upward, handle with hollow design, 225mm	1
13	HC-01 150/1.5	Irrigation & Suction: straight shape, straight tip, double channels, Φ 1.5mm, working length 150mm	1
14	HC-01 150/2	Irrigation & Suction: straight shape, straight tip, double channels, Φ2mm, working length 150mm	1
15	HC-02 180/1.5	Irrigation & Suction: straight shape, downward tip, double channels, Φ1.5mm, working length 180mm	1
16	HC-02 180/2	Irrigation & Suction: straight shape, downward tip, double channels, $\Phi 2 mm,$ working length 180mm	1
17	H05-1002	Retractable dissector: M2, plate, 45° , $\Phi 2 mm$, working length $80 mm - 160 mm$	1
18	H05-1003	Retractable dissector: M3, plate, 45° , Φ 3mm, working length 80mm–160mm	1
19	H05-1015	Retractable dissector: EX1, spatula, width 1.1mm, straight, working length 80mm-160mm	1
20	H05-1016	Retractable dissector: EX2, spatula, width 2.1mm, straight, working length 80mm–160mm	1
21	H05-1017	Retractable dissector: EX3, Hook, 90° , half sharp/blunt, straight, working length $80\text{mm}-160\text{mm}$	1
22	H05-1018	Retractable dissector: EX4, point needle, straight, working length 80mm-160mm	1
23	H05-1019	Retractable dissector: EX5, teardrop, straight, working length 80mm-160mm	1
24	H05-1020	Retractable dissector: EX6, teardrop, 90 $^\circ$, straight, working length 80mm–160mm	1
25	H05-1021	Retractable dissector: EX7, teardrop, 40 $^{\circ}$, straight, working length 80mm–160mm	1
26	H05-1022	Retractable dissector: EX8, plate, straight, Φ1mm, working length 80mm-160mm	1
27	H05-1013	105mm, black, retractable, skin-like texture, high pressure and high pressure sterialization	2
28	H05-1014	120mm, black, retractable, skin-like texture, high pressure and high pressure sterialization	2



Hotry Ultra Microvascular Instruments

HOTRY Medical, 3rd Floor, Building 21, LIANDONGU VALLEY, No.50 Huatuo Road, Daxing District, Beijing, China

WhatsApp: +86 15600753360 E-mail: menghan@hotryneuro.com

www.Hotryneuro.com

This brochure is a global unified template. For actual use in each region, please refer to the scope of local declaration of conformity.